## Meltric Part Numbering...



First seven (7) digits for a basic inlet or receptacle part number

One (1) to six (6) suffixes for special features

12 - 3 4 56 7 X X X - Y Y Y

Meltric Product Line Type and Casing Material	AMP (A) Rating	Form and Mounting	Voltage Polarizatio Position Voltage	on Hz	Phasing
<pre>PN/PN7c 01 = Blue Poly 09 = Blue Metal PN12c 03 = Blue Poly 07 = Blue Metal PXN12c 06 = Black Metal DN 17 = Blue Metal DXN 22 = Black Poly 33 = Blue Poly 35 = Black Metal DXN25/37c 36 = Black Metal DXN25/37c 36 = Black Metal DX 31 = Blue Poly 39 = Blue Metal SPeX 42 = Black Poly CS1000/SP 45 = Black Poly PFQ 47 = Gray Metal PF 49 = Gray Metal DSN 63 = Blue Poly 65 = Black Poly DB 89 = Blue Metal</pre>	DSN       DXN $1 = 20$ $3 = 30$ $3 = 30$ $3 = 30$ $6 = 60$ $6 = 60$ DS       DX $1 = 20$ $2 = 20^*$ $3 = 30$ $3 = 30^*$ $6 = 60/100C$ $6 = 60^*$ $9 = 100$ $9 = 100^*$ $2 = 200^*$ $9 = 100^*$ $DB$ PF $3 = 30^*$ $3 = 300^*$ $6 = 60^*$ $4 = 400^*$ $9 = 100^*$ $6 = 600^*$ $DR$ PFQ $1 = 30$ $3 = 300^*$ $3 = 50$ $6 = 100$ $6 = 100$ DN $9 = 150$ $1 = 20^*(DN9)$ $2 = 250^*$ $6 = 20^*(DN20)$ PN       N = 20 (IP- $66+IP67$ $S = 20$ (IP54/         IP55) $2 = 20$ $3 = 30$ * Available in metal only	5	$\begin{array}{rcrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	50 60 50 60 50 50 50 50 200 50 60 60 60 60 50 DC 50 60 60 60 60 60	AC 2 = $2P+G$ AC 3 = $3P+G$ AC 5 = $1P+N+G$ AC 6 = $2P+N+G$ AC 7 = $3P+N+G$ AC A <sup>+</sup> = $2P$ AC B <sup>+</sup> = $3P$ AC C <sup>+</sup> = $3P+N$ AC D <sup>+</sup> = $1P+N$ AC G <sup>+</sup> = $2P+N$ AC C <sup>+</sup> = $2P+G$ DC 7 = $2P+G$ DC 7 = $2P+G$ DC 7 = $2P+G$ DC 7 + For 50V or less only ++Includes jumpers

*Notes:* \* On metal devices, plugs are not painted, receptacles are painted.

\* This is the Keying Standard for Meltric products. Suffixes are available to accommodate non-interchangeable devices of the same size at the same voltage. Please ask for more details.

## ...and Ordering Guide

## **A MODULAR SYSTEM**

Meltric products are ordered and assembled in a modular fashion. Customers should select the desired male inlet and female receptacle part numbers. Then matching accessories such as handles, angles, and junction boxes should be identified and added to the order to create plugs, connectors, or other configurations. This modular system allows Meltric to build and ship product to customer specifications in a very short time - 90% of orders ship by the next business day.



